


**GUND** (Geoid Undulation) =  
The height of the Geoid (MSL) above the Reference Ellipsoid (WGS 84) at the stated position.

BEARINGS ARE MAGNETIC  
ELEVATIONS AND HEIGHTS ARE IN FEET


ELEVATIONS IN FEET AMSL     **159**  
HEIGHTS IN FEET ABOVE AD     **(104)**



**VAR 0.7°W - 2019**

N

Annual Rate of Change 0.16°E



**I-FIN 110.950°**  
532924.99N 0005946.05W

Rwy 20 Thr Elev 26  
532910.82N 0005953.64W  
(GUND Elevation 157)

Highest Elev in TDZ 31  
532843.07N 0010008.45W  
(GUND Elevation 157)

**FNY 338**  
532829.36N 0010006.22W

**DONCASTER**  
I-FNL & I-FIN  
**110.950°**  
(Ch 46Y)  
532829.54N 0010007.14W  
49

Rwy 02 Thr Elev 52  
532751.22N 0010036.11W  
(GUND Elevation 157)  
(Highest Elev in TDZ)

**I-FNL 110.950°**  
532741.22N 0010041.43W

129 (76)  
118 (65)  
107 (54)  
113 (60)  
116 (63)  
120 (67)  
159 (104)  
151 (98)  
127 (74)  
116 (63)

COM		
ATIS	134.950	DONCASTER INFO
TWR	128.775	DONCASTER TOWER
	121.600	DONCASTER FIRE

LIGHTING	
THR 02/20	HI uni-d green elevated wingbars.
RWY 02/20	HI bi-d Colour Coded C/L 15m spacing. End lights red.
TWY	HI green bi-d C/L (Twy A/C/D). HI omni-d blue edge. (Twy B/C/E).

RUNWAY/TAXIWAY/APRON PHYSICAL CHARACTERISTICS		
APRON / RWY / TWY	SURFACE	BEARING STRENGTH
RWY 02/20	Asphalt	63/F/B/W/T
Terminal Stands	Concrete	71/R/C/W/T
Hangar Stands	Concrete	42/R/C/W/T
GA Apron	Asphalt	20/F/D/Z/T
Taxiway A	Asphalt	33/F/B/W/T
Taxiway B	Asphalt	49/F/B/W/T
Taxiway C	Concrete	71/R/C/W/T
Taxiway D	Asphalt	52/F/A/W/T
Taxiway E	Asphalt/Concrete	53/F/A/W/U
Taxiway F	Asphalt	20/F/D/Z/T
Taxiways G & L	Concrete	42/R/C/W/T

**CHANGE (13/18): OBSTACLES. FOXTROT APRON PARKING BAYS. TAXIWAY E BEARING STRENGTH. RUNWAY TURNING CIRCLES.**